



IPRODIONE 2F SELECT™

FUNGICIDE

Professional Non-Residential Disease Control



ACTIVE INGREDIENT

Iprodione

% ACTIVE INGREDIENT

23.0%

FORMULATION

Flowable

CHEMICAL FAMILY

Dicarboximide

MODE OF ACTION

Signal Transduction

RESTRICTED USE

None

SIGNAL WORD

Caution

PACKAGING INFORMATION

2 x 2.5 gal.

LABELED USES

Golf Courses
Non-Residential
Ornamentals
Non-Residential Turf
Sod Farms

Iprodione 2F Select is a foliar-applied fungicide that may be deployed for the control of disease on non-residential turf including golf courses, sod farms and institutional areas. It can be affectively applied on spring, summer, fall and winter diseases. Iprodione 2F Select is compatible and may be applied with, most commonly used, registered fungicides including TM 4.5F Select to control a broad spectrum of disease and aid in resistance management.

- Up to 28 days residual
- Effective for all seasons
- Non-Residential use only
- Preventive and curative effects
- Labeled for Turf and Ornamental Applications

**IMPORTANT:
ALWAYS READ AND FOLLOW
LABEL INSTRUCTIONS.**



PRIME SOURCE

IPRODIONE 2F SELECT™

FUNGICIDE

Turf Applications:

Applied according to good turf management practices, Iprodione 2F Select is an effective tool in controlling spring, summer and fall diseases and in controlling certain winter diseases.

Summer Stress Complex/Summer Decline:

Tank-mix applications of 4 to 8 fl. oz. per 1,000 sq. ft. of Fosal Select™ Fungicide with 3 to 4 fl. oz. per 1,000 sq. ft. Iprodione 2F Select to help manage these diseases.

Pythium Blight:

Pythium blight will be controlled by a tank-mix of Iprodione 2F Select with one of the following: fosetyl-al or propamocarb hydrochloride fungicides. Follow the label directions and use precautions for all tank-mix partners and ensure that the use of that fungicide is registered for use on turf.

Gray Snow Mold (Typhula spp.):

To use Iprodione 2F Select as a tank-mix in sites where continuous snow cover occurs, use 4 to 8 fl. oz. per 1,000 sq. ft. with one of the following registered products: chlorothalonil, such as Chlorothalonil 720 Select, or pentachloronitrobenzene (PCNB) fungicides. Use the rates according to the directions on the labels of the registered tank mix partner products. For optimum control, application must be made in autumn prior to snow cover. Ensure thorough coverage is attained by dilution in sufficient water (1 to 5 gallons of spray solution per 1,000 sq. ft.). If the turf has been frozen prior to application, use the higher rate of Iprodione 2F Select, and make a repeat application only if a thaw occurs and all snow cover has melted.

Restrictions:

- Do not apply to turf cut higher than 1" on golf holes where water bodies are present.
- Except for use on golf courses, if applying this product adjacent to a water body such as a lake, reservoir, river, permanent stream, marsh or natural pond, estuary, or commercial fish pond, there must be at least a 25-foot vegetative buffer strip between the water body and the point of application.
- Do not mow or irrigate treated areas until the grass is completely dry, which typically takes 24 hours post-treatment.
- Do not mix with any sticker, extender, or wetting agents.
- Do not apply more than 35 fl. oz. product/1,000 sq. ft. per year.
- Do not apply more than 6 applications per year.
- Do not allow animals to graze on treated turf and do not feed clippings from treated turf to livestock or poultry.



LABELED TURF DISEASES INCLUDE:

Anthracnose
Brown Patch
Corticium Red Thread
Curvularia
Dollar Spot
Fusarium Blight
Fusarium Patch
Gray Snow Mold
Large Patch
Leaf Spot
Necrotic Ring Spot
Pink Snow Mold

LABELED ORNAMENTAL DISEASES INCLUDE:

Aerial Web Blight
Alternaria Leaf Blight
Alternaria Leaf Spot
Blossom Blight
Botrytis Blight
Botrytis Storage Rot
Cylindrocladium Blight and Wilt
Daffodil Leaf Scorch
Fusarium Corm Rot
Fusarium Leaf Spot
Helminthosporium Leaf Spot
Ink Spot
Ray Blight
Rhizoctonia Stem and Root Rot
Tulip Fire



Prime Source, LLC
10025 US 264 Alternate
Middlesex, NC 27557
www.Prime-Sourcecellc.com

Download a
specimen label at
Prime-Sourcecellc.com